

SDS Report

No. SHAHG1409810602

Date: Jun. 10, 2014

Page 1 of 1


WENZHOU SUN STATIONERY CO.,LTD
NO.268, WEISHIQI RD, ECONOMIC DEVELOPMENT ZONE, YUEQING, ZHEJIANG , CHINA

SGS Ref. No. : SHHG1405017696ST
Sample Name : ERASER
End Uses : For children erasing
Composition/Ingredient of sample (as per client submission) : See *section 3 Composition/information on ingredients* on the SDS report
Job Receiving Date : May 29, 2014
Last Information Date : Jun 09, 2014
SDS Preparation Period : May 29-Jun 09, 2014

Service Requested : Preparation of Safety Data Sheet (SDS) for the sample with submitted information.

Summary : As per request, the contents and formats of the SDS are prepared in accordance with US Regulations Relating to Labor 29 CFR 1910.1200 (g), and is provided per attached.

Signed for and on behalf of
SGS-CSTC Ltd.



Terry Wang
Approved Signatory



SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.
Testing Center (Shanghai) Co., Ltd.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t E&E (86-21) 61402553 f E&E (86-21) 64953679 www.sgs.com.cn
HL: (86-21) 61402594 HL: (86-21) 54500353 e sgs.china@sgs.com

Safety Data Sheet

29 CFR 1910.1200

Printing date 06/10/2014

Reviewed on 06/07/2014

1 Identification

- **Product identifier**
- **Trade name:** ERASER
- **Application of the substance / the preparation:** For children erasing
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
WENZHOU SUN STATIONERY CO.,LTD
NO.268, WEISHIQI RD, ECONOMIC DEVELOPMENT ZONE, YUEQING, ZHEJIANG , CHINA
Tel: 0577-27811777
Fax: 0577-27878787
- **Further information obtainable from:** WENZHOU SUN STATIONERY CO.,LTD
- **Emergency telephone number:**
Rancy Hu
Tel: 0577-27860018
- **Email:** sunbaby3@sunbaby.cc
- **Reference Number:** SHHG1405017696ST; SHAHG1409810602
- **Remark:**
This sample is likely to be classified as consumer product and is out of scope of a SDS as set out in 29 CFR Part 1910.1200. This SDS is generated for client's reference only.

2 Hazard(s) identification

- **Hazard description:**
Harmful
Harmful: may cause lung damage if swallowed.
- **Information pertaining to particular dangers for man and environment:**
The product is classified as dangerous according to OSHA Hazard Communication standard (29 CFR 1910.1200)
- **Classification system:**
The classification is according to the latest edition of the OSHA Hazard Communication Standard (29 CFR 1910.1200), and extended by company and literature data.
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**

HEALTH	0	Health = 0
FIRE	1	Fire = 1
REACTIVITY	0	Reactivity = 0

3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

471-34-1	calcium carbonate	55.0%
8042-47-5	White mineral oil (petroleum)	15.0%

· **Non dangerous components:**

9003-55-8	Benzene, ethenyl-, polymer with 1,3-butadiene	30.0%
-----------	---	-------

- **Remark:**

(Contd. on page 2)

USA

Safety Data Sheet

29 CFR 1910.1200

Printing date 06/10/2014

Reviewed on 06/07/2014

Trade name: ERASER

(Contd. of page 1)

Benzene, ethenyl-, polymer with 1,3-butadiene (CAS No.9003-55-8)
 Synonym: *Styrene Butadiene Rubber(SBR)*

White mineral oil (petroleum) (CAS No.8042-47-5)
 Synonym: *Mineral oil*

4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately rinse with water thoroughly.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
Rinse out mouth with water.
Never give anything by mouth to an unconscious person.
Do not induce vomiting; immediately call for medical help.

5 Fire-fighting measures

- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:**
Wear fully protective suit.
Mouth respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures:**
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Avoid formation of dust.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Pick up mechanically.
Dispose contaminated material as waste according to item 13.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling:**
Ensure good ventilation/exhaustion at the workplace.
Keep away from heat and direct sunlight.
Prevent formation of dust.
- **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Keep respiratory protective device available.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:**
Store away from foodstuffs.
Store away from flammable substances.
Do not store together with oxidizing and acidic materials.

(Contd. on page 3)

Safety Data Sheet

29 CFR 1910.1200

Printing date 06/10/2014

Reviewed on 06/07/2014

Trade name: ERASER

(Contd. of page 2)

· **Further information about storage conditions:** Store in a cool, dry and well-ventilated area.

8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

471-34-1 calcium carbonate

PEL Long-term value: 15* 5** mg/m³
*total dust **respirable fraction

REL Long-term value: 10* 5** mg/m³
*total dust **respirable fraction

TLV TLV withdrawn

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Based on the composition shown in Section 3, the following measures are suggested for occupational safety measure:**

· **Personal protective equipment:**

· **General protective and hygienic measures:** Wash hands before breaks and at the end of work.

· **Breathing equipment:** Suitable respiratory protective device recommended.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Solid

Color: White

· **Odor:** Odorless

(Contd. on page 4)

Safety Data Sheet

29 CFR 1910.1200

Printing date 06/10/2014

Reviewed on 06/07/2014

Trade name: ERASER

(Contd. of page 3)

· Odour threshold:	Not available
· pH-value:	Not available
· Change in condition	
Melting point/Melting range:	Not available.
Freezing point:	Not available
Boiling point/Boiling range:	Not available
· Flash point:	Not available
· Flammability (solid, gaseous):	Not available.
· Auto-Ignition temperature:	Not available
· Decomposition temperature:	Not available
· Explosion limits:	
Lower:	Not available.
Upper:	Not available.
· Vapor pressure:	Not available
· Density:	Not available.
· Relative density	Not available.
· Vapour density	Not available
· Evaporation rate	Not available
· Solubility in / Miscibility with Water:	Not available
· Partition coefficient (n-octanol/water):	Not available
· Viscosity:	
Dynamic:	Not available

10 Stability and reactivity

- **Reactivity** No decomposition if used according to specification.
- **Chemical stability** Stable under recommended storage conditions.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· LD/LC50 values that are relevant for classification:		
471-34-1 calcium carbonate		
Oral	LD50	6450 mg/kg (rat)
8042-47-5 White mineral oil (petroleum)		
Oral	LD50	>5000 mg/kg (rat)

- **Primary irritant effect:**
- **on the skin:** Irritating effect possible.
- **on the eye:** Irritating effect possible.
- **Sensitization:** Sensitization possible.

(Contd. on page 5)

USA

Safety Data Sheet

29 CFR 1910.1200

Printing date 06/10/2014

Reviewed on 06/07/2014

Trade name: ERASER

(Contd. of page 4)

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

9003-55-8	Benzene, ethenyl-, polymer with 1,3-butadiene	3
-----------	---	---

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability** No further relevant information available.

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **UN-Number**

- **DOT, IMDG, IATA**

Not applicable

- **UN proper shipping name**

- **DOT, IMDG, IATA**

Not applicable

- **Transport hazard class(es)**

- **DOT, IMDG, IATA**

- **Class**

Not applicable

- **Packing group**

- **DOT, IMDG, IATA**

Not applicable

- **Environmental hazards**

- **Marine pollutant:**

No

- **Special precautions for user**

Not applicable.

(Contd. on page 6)

USA

Safety Data Sheet

29 CFR 1910.1200

Printing date 06/10/2014

Reviewed on 06/07/2014

Trade name: ERASER

(Contd. of page 5)

- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

- **Section 355 (extremely hazardous substances):**

None of the ingredient is listed.

- **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

- **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

- **Proposition 65**

- **Chemicals known to cause cancer:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **Carcinogenicity categories**

- **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **Hazard symbols:**

Harmful

- **Risk phrases:**

Harmful: may cause lung damage if swallowed.

- **National regulations:**

- **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

16 Other information

The contents and format of this SDS are in accordance with 29 CFR 1910.1200(g).

(Contd. on page 7)

USA

Safety Data Sheet

29 CFR 1910.1200

Printing date 06/10/2014

Reviewed on 06/07/2014

Trade name: ERASER

(Contd. of page 6)

DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

· **Date of preparation / last revision 06/10/2014 / -**

. *****

End of document

USA